

# 2023

**EQUIPMENT**



R1122





## Manufacturing tough, innovative equipment that moves you forward.

### QUALITY

When it comes to quality, we never compromise. From production to service, we deliver equipment that's built to last. That's what Ledwell Made means.

### GRIT

We work hard. We're problem solvers. We meet customer challenges with innovative solutions. We get it done.

### LEGACY

It took sweat, dedication, and a lot of hard work to build this company. This legacy guides us today.

### FAMILY

Our people care. We do what's right for our employees, our customers, and our community – because that's what family does.

### LEDWELL & SON ENTERPRISES, INC.

3300 Waco St.  
Texarkana, Texas 75501  
888-LEDWELL  
ledwell.com  
sales@ledwell.com  
parts@ledwell.com  
Se habla Español

### SALES TEAM

888.533.9355  
sales@ledwell.com

### SERVICE & WARRANTY

888.533.9355  
service@ledwell.com



We back every product we build with the  
**LEDWELL MADE GUARANTEE**



**PRIMED & READY**

You get what you need fast. With a vast stock of materials, we build what you need with the industry's shortest lead times.

**SWIFT SUPPORT**

You get back to work quickly. We respond to questions and service needs with unrivaled urgency.

**EXPRESS SHIPPING**

You don't have to wait for parts. We manufacture more than 85% of our parts in-house and ship 99% within 24 hours of your request.

**TOUGH BUILD**

Your Ledwell products will last for decades with proper maintenance. We only fabricate products that stand the test of time in the field.

**VISIONARY ENGINEERING**


You get cutting-edge machinery that works for you. From basic trailers to advanced custom fabrications, we approach every project with innovative craftsmanship.

**SOLID PARTNERSHIPS**

Our strong industry partnerships work in your favor. When you need a hand, we mobilize our network to help you get priority service around the world.

Not just well made, **LEDWELL MADE.**





## **NOTICE**

---

All quotes are valid for 45 days from the date listed on the quote and subject to future material surcharges as applicable.



# CONTENTS

2000 GALLON WATER .....	6
4000 GALLON WATER .....	7
3-4 DUMP .....	8
5-6 BOX DUMP .....	9
5-6 TUB DUMP .....	10
12-14 BOX DUMP .....	11
12-14 TUB DUMP .....	12
FLATBED DUMP .....	13
HYDRATILT TRUCK .....	14
HYDRATAIL TRUCK .....	15
MEDIUM DUTY ROLLBACK .....	16
HEAVY DUTY ROLLBACK .....	17
HYBRID ROLLBACK .....	18
MACHINERY MOVING ROLLBACK .....	19
STAKEBED .....	20
ATTENUATOR TRUCK .....	21
SERVICE TRUCK .....	22
PERIMETER BEAM HYDRATAIL TRAILER WITH MINI DECK .....	23
PERIMETER BEAM HYDRATAIL TRAILER WITH KNUCKLE BOOM TROUGH .....	24
MAXTILT TRAILER .....	25
HYDRATILT TRAILER .....	26
OPTIONS .....	27
LUBE “BUDDY” MAX .....	28
LUBE “BUDDY” JR .....	29
LOADING RAMP .....	30
CHASSIS & TRACTORS .....	31



# 2000 GALLON WATER



## SPECIFICATIONS

2000-gallon water tank assembly complete with manway  
 One crosswise baffle  
 One longitudinal baffle  
 Rear ladder-push bumper-tool box  
 All welded subframe  
 Rubber mounting, sight tube  
 Hydrant fill capability  
 Top discharge hydrant fill water drop  
 Hose reel with 50' - 1 1/4" jet spray hose with nozzle  
 4"x3" pump - PTO driven  
 Two - front spray heads  
 Two - rear spray heads  
 Side spray nozzle with 1 1/2" hose outlet  
 Low point drain cocks  
 In-cab air control valves

Steel fenders  
 Suction plumbed reservoir  
 Reservoir interior blasted and coated with protective liner  
 DOT approved lights  
 Rear bumper, mud flaps, fire extinguisher, triangle reflector kit  
 Painted one color

## POPULAR OPTIONS

Water cannon  
 Stainless steel

## CHASSIS

Freightliner M2 | Auto | Air  
 Freightliner M2+ | Auto | Air  
 International MV | Auto | Air  
 Ford F750 | Gas | Auto | Air

# 4000 GALLON WATER



## SPECIFICATIONS

4000-gallon water tank assembly complete with manway  
 Three crosswise baffles  
 One longitudinal baffle  
 Rear ladder-push bumper-tool box  
 All welded subframe  
 Rubber mounting, sight tube  
 Hydrant fill capability  
 Top discharge hydrant fill water drop  
 Hose reel with 50' - 1 1/4" jet spray hose with nozzle  
 4"x3" pump - PTO driven  
 Two - front spray heads  
 Two - rear spray heads  
 Side spray nozzle with 1 1/2" hose outlet  
 Low point drain cocks  
 In-cab air control valves

Steel fenders  
 Suction plumbed reservoir  
 Reservoir interior blasted and coated with protective liner  
 DOT approved lights  
 Rear bumper, mud flaps, fire extinguisher, triangle reflector kit  
 Painted one color

## POPULAR OPTIONS

Water cannon  
 Stainless steel

\* Image reflects optional water cannon

## CHASSIS

Freightliner M2 | Auto | Air  
 Freightliner M2+ | Auto | Air  
 International HV | Auto | Air

## 3-4 DUMP



### SPECIFICATIONS

- 3 to 4 cubic yard capacity,
- 12 ga. steel sides, front & tailgate continuous welded
- 10 ga. floor, heavy duty front & rear corner pillars
- One-piece cab shield with window
- Boxed top rail
- Heavy duty tailgate - two-way operation
- Recessed lights
- 9.7-ton hydraulic hoist
- Electric over hydraulic operation
- Pintle ball hitch
- Electric brake hook-up RV type light plug
- Spring loaded crank type tarp cover
- Back up alarm, DOT approved lights
- Rear bumper, mud flaps, fire extinguisher, triangle reflector kit
- Painted one color

### POPULAR OPTIONS

- Electric tarp
- Steel side boards

### CHASSIS

- Ford F550 Diesel | 4x2
- Ford F550 Diesel | 4x4 | Crew
- Ford F550 Diesel | 4x2 | Crew
- Ford F550 Gas | Auto | Hyd



## 5-6 BOX DUMP



### SPECIFICATIONS

5 to 6 cubic yard capacity  
 7 ga. steel sides, front, and tailgate continuous welded  
 1/4" steel floor  
 6" x 8.2 lb structural channel longitudinal members  
 2" x 4" rectangular top rails  
 3" I-beam crossmembers on 12" centers  
 Cab shield  
 In cab shift tower  
 In cab "body raised" light indicator  
 Double acting tail gate with horizontal and vertical braces with spreader chains  
 18-ton capacity hoist, 50-degree dump  
 Safety support strut  
 Sideboard pockets with wood side boards bolted in sloping rub rails & sloping inside

chamber strips  
 Pintle hitch - 45-ton capacity mounted in accordance with SAE J849B  
 Single chute in tailgate, 6" asphalt lip  
 Spring loaded crank type tarp cover  
 7 pole socket assembly, electric brake hookup  
 DOT approved lights  
 Rear bumper, mud flaps, fire extinguisher, triangle reflector kit  
 Painted one color

### POPULAR OPTIONS

Electric tarp  
 Steel side boards  
 Back-up camera system  
 Auxiliary hydraulics for plow spreader

### CHASSIS

Freightliner M2 | Auto | Hyd  
 Freightliner M2+ | Auto | Hyd  
 International MV | Auto | Hyd  
 Ford F750 | Gas | Auto | Air

## 5-6 TUB DUMP



### SPECIFICATIONS

5 to 6 cubic yard capacity  
 18-ton capacity hoist, 50-degree dump  
 1/4" front, sides, and rear gate chutes in tailgate  
 1/4" floor, continuous welded 20" radius corners  
 6" x 3" x 3/8" structural tubing long-members  
 1/4" cylinder housing  
 3/16" steel sloped top rail with 6" wooden side boards  
 10 ga. steel cab shield  
 Full length 10 ga. steel fenders  
 Rear taillight guard, front corner lights  
 In cab shift tower  
 In cab "body raised" light indicator  
 Manual mechanical tailgate latch, with 6"

asphalt lip  
 Single wide chute in tailgate  
 Air shift PTO with pump  
 Reflector and flare kit, 5lb. fire extinguisher  
 Safety support struts  
 Spring loaded crank type tarp cover  
 Pintle hitch - 45-ton capacity mounted in accordance with SAE J849B  
 7 pole socket assembly, electric brake hook up  
 DOT approved lights  
 Rear bumper, mud flaps, fire extinguisher, triangle reflector kit  
 Painted one color

### POPULAR OPTIONS

Electric tarp  
 Steel side boards  
 Back-up camera system  
 Auxiliary hydraulics for plow spreader

### CHASSIS

Freightliner M2 | Auto | Hyd  
 Freightliner M2+ | Auto | Hyd  
 International MV | Auto | Hyd  
 Ford F750 | Gas | Auto | Air

# 12-14 BOX DUMP



## SPECIFICATIONS

12 to 14 cubic yard capacity  
 7 ga. steel sides, front, and tailgate continuous welded  
 1/4" steel floor  
 8" x 11.5 lb structural channel longitudinal members  
 3 1/2" x 3 1/2" square top rails  
 4" I-beam cross members on 12" centers  
 Cab shield  
 Double acting tail gate with horizontal & vertical braces  
 Spreader chains with reinforced keyhole slots  
 Single chute in tailgate, 6" asphalt lip  
 Air operated tailgate release/closure  
 Front mount telescopic hoist - 35-ton capacity

Safety support struts  
 Top bumper board pockets with wood bumper boards bolted in  
 Sloping rub rails & sloping inside chamber strips  
 Spring loaded crank type tarp cover  
 PTO and pump assembly with hydraulic oil tank  
 In cab shift tower  
 In cab "body raised" light indicator  
 Pintle hitch with air outlet on rear  
 DOT approved lights  
 Rear bumper, mud flaps, fire extinguisher, triangle reflector kit  
 Painted one color

## POPULAR OPTIONS

Electric tarp  
 Steel side boards  
 Back-up camera system  
 Auxiliary hydraulics for plow spreader

## CHASSIS

Freightliner M2 | Auto | Air  
 Freightliner M2+ | Auto | Air  
 International HV | Auto | Air



# 12-14 TUB DUMP



## SPECIFICATIONS

12 to 14 cubic yard capacity  
 Head lift hydraulic cylinder - 35 ton  
 1/4" AR400 front, sides, and rear gate  
 1/4" AR400 floor, continuous welded 26" radius corners  
 8" channel long-members  
 1/4" AR400 cylinder housing  
 3/16" steel sloped top rail with 6" wooden side boards  
 10 ga. steel cab shield  
 Full length 10 ga. steel fenders  
 Real taillight guard, front corner lights  
 In cab shift tower  
 In cab "body raised" light indicator  
 Air operated mechanical tailgate, with 8" asphalt lip  
 Air shift PTO with pump, air operated

controls  
 Safety support struts  
 Spring loaded crank tarp cover  
 Pintle hitch with air outlet on rear  
 Rear taillight guards  
 DOT approved lights  
 Rear bumper, mud flaps, fire extinguisher, triangle reflector kit  
 Painted one color

## POPULAR OPTIONS

Electric tarp  
 High-lift tailgate  
 Steel side boards  
 Back-up camera system  
 Auxiliary hydraulics for plow spreader

## CHASSIS

Freightliner M2 | Auto | Air  
 Freightliner M2+ | Auto | Air  
 International HV | Auto | Air

# FLATBED DUMP



## SPECIFICATIONS

16' x 8' x 12" wooden side boards  
 10 ga. smooth steel over wood floor  
 8" x 11.5 lb structural channel longitudinal members  
 4" I-beams, cross members on 12" centers  
 Cab shield  
 10 ga. steel bulkhead with slotted window  
 Underbody hoist - 14-ton capacity  
 Safety support struts  
 Side and rear stake pockets  
 PTO and pump assembly with hydraulic tank  
 In-cab shift tower  
 Large in-cab "Body Raised" light indicator  
 Recessed corner marker lights  
 DOT approved lights  
 Rear bumper, mud flaps, fire extinguisher,

triangle reflector kit  
 Painted one color

## POPULAR OPTIONS

Steel side boards  
 Back-up camera system

## CHASSIS

Freightliner M2 | Auto | Hyd  
 Freightliner M2+ | Auto | Hyd  
 International MV | Auto | Hyd  
 Ford F750 | Gas | Auto | Air

# HYDRATILT TRUCK



## SPECIFICATIONS

All steel construction  
 3" Steel cross members  
 Apitong deck  
 Star traction material full width - tail, fold & over wheel area  
 Hydraulic tilting deck with dual cylinders  
 10' load bearing tail plus 5' hydraulic fold under  
 2.5" Receiver Tube  
 Toolbox  
 D-ring mounted each side by toolbox  
 20,000 lb Hydraulic winch with a 50'x5/8" cable & tail chain  
 Wireless remote hydraulic controls  
 Manual front mount hydraulic controls  
 Grab handles mounted each side on headache rack

LED sealed wiring harness lighting system  
 Swing-out loading lights on rear  
 Rear work lights  
 Chain pan work lights  
 Runway lights under tail  
 Curb lights located in wheel well  
 Chain slot tie downs on 24" centers  
 Center chain slots  
 Electric trailer brake system  
 LED Strobe Light bar mounted  
 3/4" LED Marker Lights  
 Back-up alarm, mud flaps  
 DOT LED lights & reflectors  
 Conspicuity tape  
 Painted one color

## POPULAR OPTIONS

Pusher axle  
 Container guide rollers  
 Back-up camera system

More options on page 27

\* Image reflects optional pusher axle

## CHASSIS

Freightliner M2 | Auto | Air  
 Freightliner M2+ | Auto | Air



# HYDRATAIL TRUCK



## SPECIFICATIONS

All steel construction  
 Full headache rack with chain rack & loading lights  
 LED wrecker light bar  
 20,000lb hydraulic winch  
 3" Jr. I-beam cross members on 12" centers  
 10' load bearing tail + 5' hydraulic fold under  
 Full 2" hinge pin  
 Hardwood deck or steel diamond plate over wood deck  
 Star traction across tail and fold & wheel wells  
 Receiver hitch in fold under  
 Operator assist deck step & handle  
 Internal chain slots

Full function wireless remote hydraulic controls  
 Manual hydraulic controls  
 Air shift PTO  
 Hydraulic pump & tank  
 Non-slip protective surface coating  
 Back-up alarm, mud flaps  
 DOT LED lights & reflectors  
 Conspicuity tape  
 Painted one color

## POPULAR OPTIONS

Pusher axle  
 Back-up camera system  
 Aluminum headache rack

More options on page 27

## CHASSIS

Freightliner M2 | Auto | Air  
 Freightliner M2+ | Auto | Air

# MEDIUM DUTY ROLLBACK



## SPECIFICATIONS

All steel construction  
 20,000lb capacity  
 Full headache rack with chain rack & loading lights  
 LED wrecker light bar  
 Toolbox  
 20,000lb hydraulic winch  
 Hose track for hydraulic & electrical lines  
 Hardwood deck or steel diamond plate over wood deck  
 Angle side rails with stake pockets  
 I-beam long members  
 I-beam cross members on 12" centers  
 Two rear 4" hydraulic stabilizer cylinders  
 Full function wireless remote hydraulic controls  
 Rear manual hydraulic controls

Truck hydraulic wet kit with air shift PTO  
 Sharp rear tapered approach with ½" approach plate lip  
 Non-slip protective surface coating  
 Back-up alarm, mud flaps  
 DOT LED lights & reflectors  
 Conspicuity tape  
 Sealed wiring harness  
 Painted one color

## POPULAR OPTIONS

Pusher axle  
 Star traction on sides  
 Air actuated pintle hitch  
 Aluminum headache rack

More options on page 27

## CHASSIS

Freightliner M2 | Auto | Air  
 Freightliner M2+ | Auto | Air  
 International MV | Auto | Air

# HEAVY DUTY ROLLBACK



## SPECIFICATIONS

- All steel construction
- 30,000lb capacity
- Full headache rack with chain rack & loading lights
- LED wrecker light bar
- Toolbox
- 20,000lb hydraulic winch
- Hose track for hydraulic & electrical lines
- Hardwood deck or Steel diamond plate over wood deck
- Angle side rails with stake pockets
- I-beam long members
- I-beam cross members on 12" centers
- Two rear hydraulic stabilizer cylinders
- Full function wireless remote hydraulic controls
- Rear manual hydraulic controls

- Truck hydraulic wet kit with air shift PTO
- Sharp rear tapered approach with ½" approach plate lip
- Non-slip protective surface coating
- Back-up alarm, mud flaps
- DOT LED lights & reflectors
- Conspicuity tape
- Sealed wiring harness
- Painted one color

## POPULAR OPTIONS

- Pusher axle
- Star traction on sides
- Air actuated pintle hitch
- Aluminum headache rack

More options on page 27

## CHASSIS

- Freightliner M2 | Auto | Air
- Freightliner M2+ | Auto | Air



# HYBRID ROLLBACK



## SPECIFICATIONS

All steel construction  
 30,000lb capacity  
 Full headache rack with chain rack & loading lights  
 LED wrecker light bar  
 Toolbox  
 20,000lb hydraulic winch  
 Hose track for hydraulic & electrical lines  
 Hardwood deck or steel diamond plate over wood deck  
 Angle side rails with stake pockets  
 I-beam long members  
 I-beam cross members on 12" centers  
 Two bed tilting cylinders  
 Hydraulic tilting sub-frame  
 Two rear hydraulic stabilizer cylinders  
 Full function wireless remote hydraulic

controls  
 Rear manual hydraulic controls  
 Truck hydraulic wet kit with air shift PTO  
 Sharp rear tapered approach with 1/2" approach plate lip  
 Non-slip protective surface coating  
 Back-up alarm, mud flaps  
 DOT LED lights & reflectors  
 Conspicuity tape  
 Sealed wiring harness  
 Painted one color

## POPULAR OPTIONS

Pusher axle  
 Star traction on sides  
 Air actuated pintle hitch  
 Aluminum headache rack

More options on page 27

## CHASSIS

Freightliner M2 | Auto | Air  
 Freightliner M2+ | Auto | Air

# MACHINERY MOVING ROLLBACK



## SPECIFICATIONS

All steel construction  
 40,000lb capacity  
 Full headache rack with chain rack  
 LED wrecker light bar  
 Toolbox  
 20,000lb hydraulic winch  
 Hose track for hydraulic & electrical lines  
 Steel diamond plate over wood deck  
 4" x 8" x 1/2" angle side rails with stake pockets  
 8" x 28lb wide flange I-beam main members  
 6" structural channel inner sub frame assembly  
 4" x 4.8lb I-beam cross members on 12" centers  
 Two independent rear 4" hydraulic

stabilizer cylinders  
 Two 5" power up/power down bed control cylinders  
 4" x 11' roll off cylinder  
 Rear hydraulic controls  
 Full function wireless remote controls  
 Truck hydraulic wet kit with air shift PTO  
 Sharp rear tapered approach with 1/2" approach plate lip  
 Non-slip protective surface coating  
 Back-up alarm, mud flaps  
 DOT LED lights & reflectors  
 Conspicuity tape  
 Sealed wiring harness  
 Painted one color

## POPULAR OPTIONS

Pusher axle  
 Apitong deck  
 Aluminum headache rack

More options on page 27

## CHASSIS

Freightliner M2 | Auto | Air  
 Freightliner M2+ | Auto | Air

# STAKEBED



## SPECIFICATIONS

- 12' Body Length
- 96" Body Width
- Steel Tread Plate or Smooth Steel Deck
- Body Crossmembers on 12" Spacing
- Side and Rear In-Body Stake Pockets
- Black Powder Coated Stake Panels
- 2000 lb Lift Gate
- 2" Hitch Receiver with 8-Ton Combination Ball/Pintle Hitch
- 7-Way RV and 6-Way Round Trailer Light Sockets
- Fire Extinguisher and Triangle Reflector Kit

## POPULAR OPTIONS

- Apitong Wood Deck
- Recessed D-Ring Tie Downs
- Fold-Down Sides
- Trailer Brake Controller
- Back-up Camera System
- LED Bed/Work Lights
- LED Underbody Safety Lighting

## CHASSIS

- Ford F550 Diesel | 4x4 | Crew
- Ford F550 Diesel | 4x2 | Crew
- Ford F550 Gas | Auto | Hyd

# ATTENUATOR TRUCK



## SPECIFICATIONS

20' Stakebed  
 96" overall body width for outside-to-outside rub rail  
 Tread plate steel floor  
 8" X 11.5# structural long members  
 3" jr I-beam crossmembers on 12" centers  
 Solid 10 ga. steel bulkhead to bottom of rear window with expanded metal above to top up cab  
 Side and rear external stake pockets  
 Stake sides each side and rear - powder coated yellow  
 Cone seat each side with safety gate and yellow anti-skid painted on steps  
 DOT approved lights; front corner lights; recessed lighting  
 Back-up alarm, mud flaps  
 Fire extinguisher & triangle reflector kit  
 Painted one color

Scorpion TL-3 TMA - MASH certified  
 Complete TMA with two 90-degree folds  
 12V electrical system, hydraulic motor and cylinders  
 One - center mounted support post  
 Standard reflective sheeting pattern - color based on state regulations  
 For use of speeds of 62 MPH or more  
 Light package to include 8 flood lights, 3 each side on separate switch and 2 on bulkhead  
 Two - strobe lights mounted on rear

15 light LED arrow board:  
 Power mount with wireless remote

## POPULAR OPTIONS

25 Light arrow board  
 Back-up camera system

\* Image reflects optional 25 light arrow board

## CHASSIS

Ford F750 Gas | Auto | Hyd  
 Ford F750 Diesel | Auto | Air  
 Freightliner M2 | Auto | Air  
 Freightliner M2 | Auto | Hyd  
 International MV | Auto | Air  
 International MV | Auto | Hyd



# SERVICE TRUCK



## SPECIFICATIONS

Stellar aluminum mechanic bodies

TMAX 1-11, TMAX 2-11 or TMAX 2-14 available

Aluminum side packs

Aluminum doors with Master-Lock system

All compartments raised to 52" (TMAX 1) or 60" (TMAX 2)

Flush front bulkhead with 8" drop well in CS1V for oxy / acet bottles

Torsion box understructure with isolated crane compartment - steel

Automotive weather seal in compartments with overlapping doors for Dual-Seal

Stainless steel compression latches

Heavy duty aluminum drawer sets and/or shelving with dividers

Stellar telescopic crane – CDTplus™ equipped proportional remote control

Adjustable boom support with roller rest

E-Link 2.0 basic – cab-mounted / rear-mounted manual control switches

Stabilizer, hydraulic out / down – installed in bumper

Hydraulic reservoir, bulkhead-mounted

American Eagle hydraulic-driven air compressor with air tank

Spray-on bed liner on bed floor, bed walls and workbench bumper

Six recessed cargo tie-downs, LED flood light kit - 4 lights and LED compartment light kit

21" wide workbench bumper with thru compartment and vise mounting plate

Grab handles rear of each side pack with retractable steps in bumper

12" fold-down aluminum tailgate

1/2" x 50' hose reel with roller guide – exits rear, curbside of body

Rock guard kit

Pintle hitch mount

Exterior DOT lighting

## POPULAR OPTIONS

Lube Buddy  
Back-up camera system

## CHASSIS

Ford F550 Gas | Auto | Hyd  
Ford F550 Diesel | Auto | Hyd  
Freightliner M2 | Auto | Air  
International MV | Auto | Air

# PERIMETER BEAM HYDRATAIL TRAILER WITH MINI DECK



## SPECIFICATIONS

80,000lbs capacity  
 102" width  
 10' mini-deck - lifts & locks into front deck for approach from main deck  
 Mini-deck extensions to make deck full width  
 8' hydraulic tail with 5' fold under, unfolds to 13' approach  
 Heavy duty expanded metal on tail, fold, & over wheel area  
 1/4" steel plate over tires  
 Apitong wood deck  
 External stake pockets with internal keyhole slots  
 alternating to have tie down points  
 Chain stops full length upper & lower deck with cutout on mini deck  
 Keyhole slot tie downs in center of trailer bed full length  
 Two toolboxes  
 Side steps for trailer deck access  
 Air ride suspension

Air scale system  
 255/70R 22.5 radial tires on steel wheels or 235/75R17.5 low profile  
 25,000lb axles  
 ABS anti-skid brake system  
 Dual front mounted manual hydraulic controls  
 Wireless full function remote control  
 20,000lb hydraulic winch with 75' x 5/8" cable & tail chain  
 Heavy duty two speed landing gear  
 Sealed wiring system, conspicuity tape  
 Mud flaps, measuring stick holder  
 Trailer safety lights  
 Work lights in drop deck  
 Swing out loading lights on rear  
 4-way light socket at rear of trailer  
 Non-slip protective surface coating, including upper deck  
 Painted one color with flanges painted non-skid yellow

## POPULAR OPTIONS

48' length - 2 axle  
 53' length - 3 axle

Plus DOT & FET | F.O.B. Texarkana, TX

More options on page 27

# PERIMETER BEAM HYDRATAIL TRAILER WITH KNUCKLE BOOM TROUGH



## SPECIFICATIONS

48' length x 102" width  
 10' front deck, 30' main deck  
 10' mini-deck - lifts & locks into front deck for approach from main deck  
 8" drop in main deck with extended slope for clearance  
 20" wide knuckle boom trough over axles  
 8' hydraulic tail with 5' fold under, unfolds to 13' approach  
 Two 5" hydraulic lift cylinders  
 One 5" hydraulic fold out cylinder  
 One 3" hydraulic locking cylinder  
 Two 4" hydraulic mini-deck cylinders  
 1/4" steel deck plate over tires  
 Apitong hardwood deck  
 Two toolboxes  
 20 1/2" fabricated exterior beam main members  
 Alternating formed 6" & 9" jr. "I" beam cross members on 12" centers  
 Air ride suspension  
 Air scale system  
 235/75R17.5 tires on 8-hole steel wheels  
 Two 25,000lb axles  
 S-cam air brakes with auto slacks  
 ABS anti-skid brake system

2" Holland kingpin on 3/8" kingpin plate  
 1 1/2" diameter folding tail hinge pin  
 Stake pockets with keyhole slots alternating every 24" on beam flange for tie-downs  
 Chain stops under beam flanges between stake pockets and chain slots  
 Center tie downs-4-point tie downs full length of lower deck  
 Traction bars on perimeter of the tail fold & over wheel area for traction  
 Star-Trac material between grouser bars and in center of tail and fold  
 Dual front mounted manual hydraulic controls  
 Wireless full function remote control  
 20,000lb hydraulic winch with 75' x 5/8" cable & tail chain  
 Heavy duty two speed landing gear  
 Sealed wiring system, conspicuity tape  
 Mud flaps, measuring stick holder  
 Non-slip protective surface coating, including upper deck  
 Painted one color with flanges painted non-skid yellow

## POPULAR OPTIONS

48' length - 2 axle

Plus DOT & FET | F.O.B. Texarkana, TX

More options on page 27

# MAXTILT TRAILER



## SPECIFICATIONS

102" width  
 All steel construction  
 10' Front Deck  
 8' hydraulic tail with 5' fold under, unfolds to 13' approach  
 4" jr. I beam crossmembers on 12" centers  
 2" Holland Kingpin on 3/8" kingpin plate  
 Two large dump telescopic tilt cylinders with large flow divider  
 One 5" hydraulic fold out cylinders  
 Two 2" hydraulic locking cylinders  
 Star traction on center of tail and fold  
 Slide pads on main deck, tail and fold  
 Apitong wood deck  
 Hybrid stake pocket / chain slots on main deck  
 Two - toolboxes  
 Side steps for trailer deck access  
 Air ride suspension  
 Air scale system  
 235/75R 17.5 low profile radial tires on steel wheels

Two - 25,000 lb axles  
 S-cam air brakes with automatic slack adjusters  
 ABS anti-skid brake system  
 Dual front mounted manual hydraulic controls  
 Wireless remote controls  
 20,000 lb hydraulic winch with 75' x 5/8" cable & tail chain - recess mounting in main tilting deck with guide roller  
 Heavy duty two speed landing gear  
 LED sealed wiring system, conspicuity tape  
 Trailer safety lights  
 Swing out loading lights on rear  
 4-way light socket at rear of trailer  
 Non-slip protective surface coating, including upper deck  
 Painted one color with flanges painted non-skid yellow  
 Mud flaps, measuring stick holder

## POPULAR OPTIONS

48' length - 2 axle  
 53' length - 3 axle

Plus DOT & FET | F.O.B. Texarkana, TX

More options on page 27



# HYDRATILT TRAILER



## SPECIFICATIONS

102" width  
 All steel construction  
 10' front deck  
 Tilting main deck  
 8' hydraulic tail with 5' fold under equaling  
 13' approach  
 Expanded metal over wheel area, tail & fold  
 ¼" steel deck plate over tires  
 Apitong hardwood deck  
 Fabricated main beams  
 4" junior I-beam cross members on 12" centers  
 Fabricated 8" outside beam or 8" channel on tilt deck  
 Air ride suspension  
 25,000lb axles  
 16 1/2" x 7" s-cam air brakes with auto slacks  
 Anti-skid brake system

2" kingpin on ¾" kingpin plate  
 1 ½" D folding tail hinge pin  
 Two 4" hydraulic deck lift cylinders  
 Two 5" hydraulic tail lift cylinders  
 3" hydraulic locking cylinder at tail  
 5" hydraulic fold out cylinder  
 Full function wireless remote control  
 Dual side - front mounted manual hydraulic controls  
 20,000lb hydraulic winch with 75' x 5/8" cable & tail chain  
 Heavy duty landing gear  
 Sealed wiring system, conspicuity tape  
 Mud flaps, measuring stick holder  
 Non-slip protective surface coating, including upper deck  
 Painted one color with top of trailer and flanges painted non-skid yellow

## POPULAR OPTIONS

48' length - 2 axle  
 53' length - 3 axle

Plus DOT & FET | F.O.B. Texarkana, TX

More options on page 27

# OPTIONS



**CHAIN SLOT**



**EXPANDED METAL**



**OUTRIGGERS**



**CENTER TIE-DOWN**



**STAR TRACTION**



**SCALE SYSTEM**



**D-RINGS**



**TRACTION BARS**



**STAKE POCKETS WITH RUB RAIL**

*Choose from a variety of add-ons to get the custom equipment you need.*

## SELF-CONTAINED UNIT



### SPECIFICATIONS

- 25" X 30" X 42.5"
- 18HP gas engine with electric start
- 15 GPM hydraulic pump
- Return filter 1 1/4"
- 10' 1/2" pressure hose 3/4" female FD56 QD
- 10' 3/4" return hose 1" female FD56 QD
- Fuel tank 8 gallons
- Hydraulic oil tank 33 gallons

### POPULAR OPTIONS

Self-Contained Unit

F.O.B. Texarkana, TX

# LUBE "BUDDY" MAX



## SPECIFICATIONS

Steel tool box 60"L X 42"T X 24"D - 14ga  
 Houses battery box, heavy duty weatherproof drawer package, and misc. shelf package  
 Toolbox door material 1/8" aluminum tread plate  
 Steel tool box 52"L X 40"T X 34"D - 14ga  
 Houses all hose reels for product pumps and waste oil pumps  
 Toolbox door material 1/8" aluminum tread plate  
 Steel - tool box 32"L X 40" X 24" D - 14ga  
 Houses new filters on shelves and used filters below with drip pan and suction port for removal of waste  
 Standard product tanks: 100G fresh, 50G fresh, and 150G waste  
 13HP heavy duty compressor unit  
 Supplies product delivery

Battery charge for on board 12V battery  
 One - diaphragm pump for waste  
 Two - product pumps for fresh oil  
 Two - electronic Graco flow meters for fresh oil  
 Grease pump  
 30G new/clean grease barrel  
 Grease gun with swivel and 30" whip hose  
 Two - Hanay hose reels - product with hose  
 One - Hanay hose reel - waste (diaphragm) with hose  
 One - Hanay hose reel - grease with hose  
 One - Hanay hose reel - air with hose  
 Mechanics drawer set - heavy duty waterproof  
 Battery and battery box  
 Non-vented brass caps on fresh tanks X 2  
 Breather - 3/4" npt chrome X 3 on all tanks  
 Air manifold to operate all product reels

## POPULAR OPTIONS

Lube Buddy Max

Call your Ledwell Sales Team for Lube "Buddy" options.



# LUBE "BUDDY" JR



## SPECIFICATIONS

- All aluminum construction
- Two - 20-gallon fresh tank
- One - 40-gallon waste tank with a 17" x 9" opening with lid for filter disposal
- Two - product pumps for fresh fluids
- One - diaphragm pump for waste with 4-way valve to fill or empty tank
- Two - fresh fluid hose reel - 50 ft
- One - air hose reel - 50 ft
- One - waste oil reel - 20 ft
- Two - metering nozzle with quick couplers
- Mounted on skid with fork channels 47" wide x 70" long

## POPULAR OPTIONS

- Lube Buddy Jr
- Lube Buddy Jr with Compressor

Call your Ledwell Sales Team for more Lube "Buddy" options.



# LOADING RAMP



## SPECIFICATIONS

120" width  
 50,000 lb capacity - rated 50,000 lb in 10'  
 Two - 24" adjustable approach ramps  
 Three - 12" x 19# beam main members  
 6" Jr. I-beam crossmembers on 12" centers  
 One - set of 62,500 lb landing gear  
 One - set of 20,000 lb landing gear  
 Floor - treated pine 1/2" above steel rails  
 (for track equipment loading)  
 2'6" chain ties - to attach ramp to trailer  
 Adjusts from 35" to 52" loading height  
 Painted one color

**All-Weather Option**  
 Floor - heavy gauge expanded metal over  
 2" x 2" x 3/16" steel tubing on 8" centers

## POPULAR OPTIONS

144" wide  
 Fixed axle  
 Guide rails  
 Hand rails  
 Two additional flaps  
 Electric front landing gear with  
 Solar Panel

\* Images reflect optional four flaps and solar lift kit

## MODELS

25' Ramp  
 25' All-Weather Ramp  
 30' Ramp  
 30' All-Weather Ramp

# CHASSIS & TRACTORS





CUSTOM MANUFACTURING SINCE 1946

**LEDWELL & SON  
ENTERPRISES, INC.**

3300 Waco St. | Texarkana, Texas 75501  
888-LEDWELL | ledwell.com  
sales@ledwell.com | parts@ledwell.com  
Se habla Español

Not just well made **LEDWELL MADE.**

